



DEPARTMENT of ENVIRONMENT and NATURAL RESOURCES
 Minerals & Mining Program - Oil & Gas Section
 2050 West Main, Suite #1, Rapid City, SD 57702-2493
 Telephone: 605-394-2229, FAX: 605-394-5317

FORM 2
RECEIVED
FEB 11 2008

DEPT OF ENVIRONMENT & NATURAL
 RESOURCES - RAPID CITY

APPLICATION FOR PERMIT TO DRILL

SOUTH DAKOTA STATE GEOLOGICAL SURVEY
 WESTERN FIELD OFFICE

Type of Work: Drill New Well Reenter Well Drill Directional Well Other

Type of Well: Oil Well Gas Well Injection Other

Name and Address of Operator: LUFF EXPLORATION COMPANY, 1580 LINCOLN STREET, SUITE 850, DENVER, CO 80203 Telephone: (303) 861-2468

Name and Address of Surface Owner: Greg & Heidi Miller, RR1, Box 19, Bowman, North Dakota 58623-8601

Name and Address of Drilling Contractor and Rig Number: Nabors Drilling USA, 1512 Larimer Street, Suite 730, Denver, CO 80202, Rig #684

Surface Location of Well: Qtr-Qtr, Sec, Twp, Rge, County, Feet from Nearest Lines of section, and latitude and longitude (if available):
 SWSW Sec. 33-T23N-R6E, Harding County, 650' FSL x 165' FWL; Lat = 45 54' 30.77", Long = 103 23' 47.40"

If Directional, top of pay and bottom hole location from nearest lines of section:
 Top est @ 9230' MD = 8930' TVD; BHL 600' FEL x 650' FSL, Sec. 33-T23N-R6E

Acres in Spacing (Drilling) Unit: 640 acres Description of Spacing Unit: Sec. 33-T23N-R6E

Well Name and Number		Elevation	Field and Pool, or Wildcat		Proposed Depth and Formation
Miller M-33H		2858.1' GL	East Harding Springs Field Red River B		8930' TVD; 13,325' MD; RR
Size of Hole	Size of Casing	Weight per Foot	Depth	Cementing Program (amount, type, additives)	Depth
1) 13-1/2"	9-5/8"	36#	2000'	765 sx Premium & Midcon, 3% & 2% salt + misc.	surf
2) 8-3/4"	7"	23#,29#,26#	9230'	700 sx Class G/POZ + various additives	3500'
3)					
4)					

Describe Proposed Operations (Clearly State all Pertinent Details, and Give Pertinent Dates, Including Estimated Date of Starting any Proposed Work). Use Additional Page(s) if appropriate.

Drill a medium radius horizontal well in the Red River "B" formation. Drill 13-1/2" surface hole to 2000' and run 9-5/8" casing. Circ cement. Drill 8-3/4" vertical hole to KOP at approx 8400', run correlation log and directional survey. Drill build section with an approx azimuth of 90 deg and land in the top of the "B" zone at 9230' MD = 8930' TVD with a BHL 520' west of the surf loc. Run and cement 7" csg. Vertical and build sections drilled with invert mud. Drill a 6" lateral in the "B" zone to approx 13,325' MD = 8930' TVD at BHL approx 650' FSL x 600' FEL Sec. 33-T23N-R6E. Fresh water/polymer will be used for the horizontal section. All drilling fluids and cuttings will be contained in a pit lined with 12 mil plastic. All liquids will be disposed of in an approved method, the liner and cuttings will be buried in place. The estimated start date for location construction is Mar. 1, 2008. Estimated start date for drilling is March 25, 2008.

Blanket South Dakota bond #4127010

I hereby certify that the foregoing as to any work or operation performed is a true and correct report of such work or operation.

Signature: [Signature] Name (Print): David A. Norby Title: Operations Manager Date: 2/8/2008

FOR OFFICE USE ONLY

Approved by: [Signature] Title: Oil and Gas Supervisor
 Permit No. 1857 API No. 40 063 20634 Date Issued: February 26, 2008
 Conditions, if any, on attached page.